

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	("20010034782" "20020055975" "20030065776" "20040078424" "6366950" "6549937").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/18 13:20
S2	1	(autonomous adj2 computer) and (base adj2 code) and (calling adj2 convention)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/18 13:30
S3	4	((agent\$2 or (bot adj2 server)) and (base adj2 code) and (calling adj2 convention)) and (@ad <"20011115" or @rlad <"20011115")	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/18 13:31
S4	36	((((instant adj messag\$4) or AOL or MSN or (yahoo adj2 messenger)) and (translat\$4 or convert\$4 or encod\$4 or decod\$4 or convers\$4) and (((autonomous near2 computer) or (third adj2 party)) same (agent\$4 or gateway or prox\$4) same (database or storag\$4))) and (@ad <"20011115" or @rlad <"20011115") and ("709"/\$.ccls. or "705"/\$.ccls.)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/18 13:33
S5	20	S4 and agent\$2	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/18 13:38
S6	19	S5 and (search\$4 or retriev\$4 or get or pull\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/18 13:39



Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Wed, 9 May 2007, 1:46:39 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results

<u>#1</u>	(((<or>(instand message, aol, msn, yahoo messenger))<and> <or>(translate, convert, onverse, encode, decode))<and>(<or> (agent, gateway, proxy))<and>(calling convention)) <in>metadata)	0
<u>#2</u>	(((<or>(instand message, aol, msn, yahoo messenger))<and> <or>(translate, convert, onverse, encode, decode))<and>(<or> (agent, gateway, proxy)))<in>metadata)	0
<u>#3</u>	(((<or>(instant message, aol, msn, yahoo messenger))<and>(<or> (tranlate, convert, converse, encode, decode))<and>(<or> (gateway, proxy, agent, firewall)))<in>metadata)	0
<u>#4</u>	(((<or>(instand message, aol, msn, yahoo messenger))<and> <or>(translate, convert, onverse, encode, decode))) <in>metadata)	12
<u>#5</u>	(((<or>(instand message, aol, msn, yahoo messenger))<and> <or>(translate, convert, onverse, encode, decode))) <in>metadata)	12



Indexed by
 Inspect[®]

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

[□ Search Result - Print Format](#)[< Back to Previous Page](#)

Key: IEEE JNL = IEEE Journal or Magazine, IEE JNL = IEE Journal or Magazine, IEEE CNF = IEEE Conference, IEE CNF = IEE Conference, IEEE STD = IEEE Standard

1. **Good convolutional codes for the precoded $(1-D)(1+D)^n$ partial-response channels**
Uchoa Filho, B.F.; Herro, M.A.;
Information Theory, IEEE Transactions on
Volume 43, Issue 2, March 1997 Page(s):441 - 453
IEEE JNL
2. **An interleaved coding scheme for $(1-D)(1+D)^2$ partial response with concatenated decoding**
Soljanin, E.; Agazzi, O.E.;
Global Telecommunications Conference, 1996. GLOBECOM '96. 'Communications: The Key to Global Prosperity
Volume 1, 18-22 Nov. 1996 Page(s):353 - 357 vol.1
IEEE CNF
3. **Matched spectral-null codes with soft-decision outputs**
Nasiri-Kenari, M.; Rushforth, C.K.; Abbaszadeh, A.;
Communications, IEEE Transactions on
Volume 43, Issue 234, Feb-Mar-Apr 1995 Page(s):677 - 680
IEEE JNL
4. **Design issues of a rate 8/10 matched-spectral-null trellis code chip for partial response channels**
Shung, C.B.; Siegel, P.H.; Thapar, H.K.; Karabed, R.;
Computer Design: VLSI in Computers and Processors, 1990. ICCD '90. Proceedings., 1990 IEEE International Conference on
17-19 Sept. 1990 Page(s):214
IEEE CNF
5. **Matched spectral-null codes with soft-decision outputs**
Nasiri-Kenari, M.; Rushforth, C.; Abbaszadeh, A.;
Communications, 1993. ICC 93. Geneva. Technical Program, Conference Record, IEEE International Conference on
Volume 3, 23-26 May 1993 Page(s):1424 - 1428 vol.3
IEEE CNF
6. **MSN: statistical understanding of broadcasted baseball video using multi-level semantic network**
Huang-Chia Shih; Chung-Lin Huang;
Broadcasting, IEEE Transactions on
Volume 51, Issue 4, Dec. 2005 Page(s):449 - 459
IEEE JNL
7. **Multimedia search: ready or not?**
Goth, G.;
Distributed Systems Online, IEEE
Volume 5, Issue 7, Jul 2004 Page(s):2
IEEE JNL
8. **On the performance of a rate 8/10 matched spectral null code for class-4 partial response**
Thapar, H.; Rae, J.; Shung, C.; Karabed, R.; Siegel, P.;
Magnetics, IEEE Transactions on
Volume 28, Issue 5, Sep 1992 Page(s):2883 - 2888
IEEE JNL
9. **Matched spectral null coding for magnetic recording with a $1+D$ channel**
Conway, T.; Nelson, J.;
Magnetics, IEEE Transactions on

Volume 33, Issue 1, Jan. 1997 Page(s):863 - 867

IEEE JNL

10. Rule-Based Platform for Web User Profiling

Jianping Zhang; Manu Shukla;
Data Mining, 2006. ICDM '06. Sixth International Conference on
Dec. 2006 Page(s):1183 - 1187

IEEE CNF

11. Area-efficient architectures for the Viterbi algorithm

Shung, C.B.; Lin, H.-D.; Siegel, P.H.; Thapar, H.K.;
Global Telecommunications Conference, 1990, and Exhibition. 'Communications: Connecting the Future',
GLOBECOM '90., IEEE
2-5 Dec. 1990 Page(s):1787 - 1793 vol.3

IEEE CNF

12. Area-efficient architectures for the Viterbi algorithm II. Applications

Shung, C.B.; Lin, H.-D.; Cypher, R.; Siegel, P.H.; Thapar, H.K.;
Communications, IEEE Transactions on
Volume 41, Issue 5, May 1993 Page(s):802 - 807

IEEE JNL



© Copyright 2006 IEEE – All Rights Reserved